


## Crabgrass Control

Crabgrass is a warm-season, annual grass which grows best in full sun. It starts germinating when soil temperatures are about 55°F — this is typically around the time common lilac is in bloom. It is a weed because of its wide, coarse leaves and prostrate habit that smothers nearby grass. Crabgrass sets seed in late summer and is killed by fall frosts.



### Control

- Create a dense, healthy lawn by proper fertilization, mowing and irrigation.
- Apply a pre-emergent herbicide according to label directions BEFORE seeds germinate. Granular forms can be easily applied with fertilizer spreaders. Always water the lawn after application to move the herbicide to the soil surface.
- If your entire lawn is not affected, make spot treatments only where crabgrass is a problem.

Provided by  
[wimastergardener.org](http://wimastergardener.org)



## Crabgrass Control

Crabgrass is a warm-season, annual grass which grows best in full sun. It starts germinating when soil temperatures are about 55°F — this is typically around the time common lilac is in bloom. It is a weed because of its wide, coarse leaves and prostrate habit that smothers nearby grass. Crabgrass sets seed in late summer and is killed by fall frosts.



### Control

- Create a dense, healthy lawn by proper fertilization, mowing and irrigation.
- Apply a pre-emergent herbicide according to label directions BEFORE seeds germinate. Granular forms can be easily applied with fertilizer spreaders. Always water the lawn after application to move the herbicide to the soil surface.
- If your entire lawn is not affected, make spot treatments only where crabgrass is a problem.

Provided by  
[wimastergardener.org](http://wimastergardener.org)



## Crabgrass Control

Crabgrass is a warm-season, annual grass which grows best in full sun. It starts germinating when soil temperatures are about 55°F — this is typically around the time common lilac is in bloom. It is a weed because of its wide, coarse leaves and prostrate habit that smothers nearby grass. Crabgrass sets seed in late summer and is killed by fall frosts.



### Control

- Create a dense, healthy lawn by proper fertilization, mowing and irrigation.
- Apply a pre-emergent herbicide according to label directions BEFORE seeds germinate. Granular forms can be easily applied with fertilizer spreaders. Always water the lawn after application to move the herbicide to the soil surface.
- If your entire lawn is not affected, make spot treatments only where crabgrass is a problem.

Provided by  
[wimastergardener.org](http://wimastergardener.org)



## Crabgrass Control

Crabgrass is a warm-season, annual grass which grows best in full sun. It starts germinating when soil temperatures are about 55°F — this is typically around the time common lilac is in bloom. It is a weed because of its wide, coarse leaves and prostrate habit that smothers nearby grass. Crabgrass sets seed in late summer and is killed by fall frosts.



### Control

- Create a dense, healthy lawn by proper fertilization, mowing and irrigation.
- Apply a pre-emergent herbicide according to label directions BEFORE seeds germinate. Granular forms can be easily applied with fertilizer spreaders. Always water the lawn after application to move the herbicide to the soil surface.
- If your entire lawn is not affected, make spot treatments only where crabgrass is a problem.

Provided by  
[wimastergardener.org](http://wimastergardener.org)



## Additional Resources

### **Crabgrass Control**

- UW-Extension Publication A3435, *Lawn Maintenance*, at <http://learningstore.uwex.edu/Lawn-Maintenance-P436.aspx>

## Additional Resources

### **Crabgrass Control**

- UW-Extension Publication A3435, *Lawn Maintenance*, at <http://learningstore.uwex.edu/Lawn-Maintenance-P436.aspx>

## Additional Resources

### **Crabgrass Control**

- UW-Extension Publication A3435, *Lawn Maintenance*, at <http://learningstore.uwex.edu/Lawn-Maintenance-P436.aspx>

## Additional Resources

### **Crabgrass Control**

- UW-Extension Publication A3435, *Lawn Maintenance*, at <http://learningstore.uwex.edu/Lawn-Maintenance-P436.aspx>

## Crabgrass Control

Crabgrass is a warm-season, annual grass which grows best in full sun. It starts germinating when soil temperatures are about 55°F — this is typically around the time common lilac is in bloom. It is a weed because of its wide, coarse leaves and prostrate habit that smothers nearby grass. Crabgrass sets seed in late summer and is killed by frost.



### Control

- Create a dense, healthy lawn by proper fertilization, mowing and irrigation.
- Apply a pre-emergent herbicide according to label directions BEFORE seeds germinate. Granular forms can be easily applied with fertilizer spreaders. Always water the lawn after application to move the herbicide to the soil surface.
- If your entire lawn is not affected, make spot treatments only where crabgrass is a problem.

Provided by  
[wimastergardener.org](http://wimastergardener.org)



## Crabgrass Control

Crabgrass is a warm-season, annual grass which grows best in full sun. It starts germinating when soil temperatures are about 55°F — this is typically around the time common lilac is in bloom. It is a weed because of its wide, coarse leaves and prostrate habit that smothers nearby grass. Crabgrass sets seed in late summer and is killed by frost.



### Control

- Create a dense, healthy lawn by proper fertilization, mowing and irrigation.
- Apply a pre-emergent herbicide according to label directions BEFORE seeds germinate. Granular forms can be easily applied with fertilizer spreaders. Always water the lawn after application to move the herbicide to the soil surface.
- If your entire lawn is not affected, make spot treatments only where crabgrass is a problem.

Provided by  
[wimastergardener.org](http://wimastergardener.org)



## Crabgrass Control

Crabgrass is a warm-season, annual grass which grows best in full sun. It starts germinating when soil temperatures are about 55°F — this is typically around the time common lilac is in bloom. It is a weed because of its wide, coarse leaves and prostrate habit that smothers nearby grass. Crabgrass sets seed in late summer and is killed by frost.



### Control

- Create a dense, healthy lawn by proper fertilization, mowing and irrigation.
- Apply a pre-emergent herbicide according to label directions BEFORE seeds germinate. Granular forms can be easily applied with fertilizer spreaders. Always water the lawn after application to move the herbicide to the soil surface.
- If your entire lawn is not affected, make spot treatments only where crabgrass is a problem.

Provided by  
[wimastergardener.org](http://wimastergardener.org)



## Crabgrass Control

Crabgrass is a warm-season, annual grass which grows best in full sun. It starts germinating when soil temperatures are about 55°F — this is typically around the time common lilac is in bloom. It is a weed because of its wide, coarse leaves and prostrate habit that smothers nearby grass. Crabgrass sets seed in late summer and is killed by frost.



### Control

- Create a dense, healthy lawn by proper fertilization, mowing and irrigation.
- Apply a pre-emergent herbicide according to label directions BEFORE seeds germinate. Granular forms can be easily applied with fertilizer spreaders. Always water the lawn after application to move the herbicide to the soil surface.
- If your entire lawn is not affected, make spot treatments only where crabgrass is a problem.

Provided by  
[wimastergardener.org](http://wimastergardener.org)

